

EXPRESS MAIL CERTIFICATE

Date 2/10/99 Label No. EM445425434

I hereby certify that, on the date indicated above I deposited this paper or fee with the U.S. Postal Service and that it was addressed for delivery to the Commissioner of Patents & Trademarks, Washington, DC 20231 by "Express Mail Post Office to Addressee" service.

D B Park D B Park
Name (Print) Signature

PLEASE CHARGE ANY DEFICIENCY OR
CREDIT ANY EXCESS IN FEES DUE WITH
RESPECT TO THIS APPLICATION TO
LUCENT TECHNOLOGIES, INC.
DEPOSIT ACCOUNT NO. 12-2325

DARBY & DARBY P.C.

805 Third Avenue
New York, New York 10022
212-527-7700

File No: 1298/OE486
Ladd 15

Date: February 9, 1999

Hon. Commissioner of
Patents and Trademarks
Washington, DC 20231

Sir:


Enclosed please find an application for United States patent as identified below:

Inventor/s (name ALL inventors): David J. LADD

Title: **SYSTEM AND METHOD FOR TRANSMISSION AND DELIVERY OF TRAVEL INSTRUCTIONS TO INFORMATIONAL APPLIANCES**

including the items indicated:

1. Specification and 32 claims: 4 indep.; 28 dep.; _ multiple dep.
2. [X] Declaration and power of attorney
3. [X] Formal drawings, 4 sheets (Figs. 1-4)
4. [X] Assignment for recording to: LUCENT TECHNOLOGIES INC.



5. [X] Charge LUCENT TECHNOLOGIES INC. Deposit Account No. 12-2325
\$1,094.00 for the filing fee and Recording of Assignment.

Respectfully submitted,



Melvin C. Garner

Reg. No. 26,272

Attorney for Applicant(s)

(D&DForms/PTO-1)

EXPRESS MAIL CERTIFICATE

Date 2/10/99 Label No. 445425434

File No.: 1298/0E486

I hereby certify that on the date indicated above I deposited this paper or fee with the U.S. Postal Service & that it was addressed for delivery to the Commissioner of Patents & Trademarks, Washington, DC 20231 by "Express Mail Post Office to Addressee" service.

D B Perk D B Perk
Name (Print) Signature

5

10

SYSTEM AND METHOD FOR TRANSMISSION AND DELIVERY OF TRAVEL INSTRUCTIONS TO INFORMATIONAL APPLIANCES

FIELD OF INVENTION

15

The present invention relates to a system and method for delivering requested information, such as driving directions, to a user's wireless informational device or voice mailbox.

BACKGROUND OF THE INVENTION

20

An individual often needs information at times when it is difficult or impossible to access or when the individual is not in a position to record the information. For example, a driver in his car may become lost and need driving directions, or be traveling in an unfamiliar area. Many paper maps do not have sufficient detail for point-to-point navigation. Further, even if the driver contacts a person with the needed directions, the driver would have to record such directions manually or rely on his own memory, either of which can be difficult when the directions are complex. In addition, there is no assurance that the directions are accurate.

25

continued on next page

Accordingly, it would be beneficial to provide a system and method for delivering accurate driving directions to a user's pager or Personal Communication System ("PCS") digital phone messenger or voice mail system upon request of the user.

SUMMARY OF THE INVENTION

In accordance with one embodiment of the present invention, a network-based system is provided to accept navigational endpoints defining the start and end locations for the desired directions as well as accepting pager or voice mail identifying information. The system accesses a mapping database to obtain the desired directions, and then either sends the directions to the user's pager or PCS digital messenger or processes the text based directions using a text-to-voice processor and sends the audio output to the user's voice mailbox.

Additional features and advantages of the invention will be set forth in the description that follows. It is to be understood that the foregoing general description and the following detailed description are exemplary and explanatory and are intended to provide explanation of the preferred embodiments of the invention defined in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate embodiments of the invention and, together with the

following detailed description, serve to explain the objectives, advantages, and principles of the invention.

FIG 1 is a diagram illustrating one embodiment of the invention in which the desired information is to be sent to a wireless pager;

5 FIG. 2 is an illustration of an information request page for receiving a user's information request;

FIG. 3 is a flowchart illustrating a method by which one embodiment of the system accepts and processes requests for information; and

10 FIG. 4 is a diagram illustrating an alternate embodiment of the system wherein the informational device to which the desired information is to be sent to a user's voice mailbox.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

15 Turning to Figure 1, a system is shown which allows a subscriber to a paging service 28 to request text based driving directions, which directions are subsequently transmitted and downloaded to his pager 22. In this embodiment, a user requiring directions places a voice call, for example via a cellular phone 24, to a call center 100. The user conveys the starting location and final destination for which directions are required to a call taker and also conveys the identification of the user's paging service 20 or PCS
20 digital phone service and the user's pager ID 22. The call taker subsequently enters this information into an Internet-based system, which generates text formatted directions. The

directions are then automatically sent to a network gateway 30 into the user's paging system 28.

The call center 100 is preferably configured to simultaneously accept and distribute multiple voice calls originating from multiple users over a wireless cellular network. In one embodiment, voice-recognition technology or other types of automated systems are used to accept information from the caller. Alternatively, call takers stationed at a plurality of Internet based terminals 10 manually process incoming calls. When a call is received, the call taker accesses an information request screen (discussed below) via the call taker's terminal 10. The request screen is preferably in the form of an HTML document on a web site accessible locally through an Intranet or LAN or remotely through the Internet. Internet accessibility advantageously allows data to be entered from remote locations, and allows callers to enter their own information, if desired.

The web site, which is accessed by the call taker by a network connection, such as an Internet connection 32, is stored on a conventional server 12 running appropriate software, for example, on a Compaq Proliant 6000 hardware platform running Microsoft's Windows NT Server software. Operating system software, such as NT Server, contains preprogrammed software applications by which a server 12 can host an Internet or Intranet web site. Microsoft's Internet Server 4.0 is one such application. The method of configuring a web site is well known in the art.

Alternately, the paging system can be accessed via dedicated data lines. In such an embodiment, the service provider prearranges with each one or more paging service

providers for direct access into the service provider's server or router. A dedicated data line, such as a 56Kbps or T-1 line, is used to connect the server 12 to the paging service's server or router. The server establishes a Telnet, or other appropriate IP session to transfer the directions and pager information to the paging service. Use of a dedicated connection avoids the delays inherent in Internet based systems and is advantageous for sending directions through very busy or heavily utilized paging services. If the server 12 is established by the paging service itself and is sufficiently proximate to the paging service's server, a LAN or some other local connection is established to send the directions to the paging network.

In an alternate embodiment, the server 30 connects to the paging service 28 using a dial-up phone line. A modem is connected to the server 30 and a second modem is connected to the paging system 28 such that a dial-up connection is established to transmit data using vendor specific protocol at rates varying between, for example, 2.8 and 28.8 Kbps/sec. In this way, the HTML code containing the requested directions and the user's PIN number can be transmitted as required in step 216 without the use of the IP protocol.

An information request page 40 is illustrated in Fig 2. The contents of the information request page 40 are preferably defined and implemented using an Internet programming language, such as hypertext markup language (HTML) or Java. The information request screen 40 instructs the call taker to enter the address of the starting destination in a first text-box 42 and the final destination's address in a second text-box 44. As will be described to a fuller extent below, these addresses are provided by the

caller and can be entered in various forms such as specified by number and street or by intersection. In addition to requesting the starting and final destination, the information request page prompts the call taker to enter the user's pager information.

To reduce the likelihood of mistakes in the entered pager information, a table of at least the most common pager systems 46 is preferably provided and displayed utilizing a construct such as HTML radio-buttons as shown in the figure. A feature of the radio button construct is such that only one of the pager services can be selected. The call taker selects the radio-button corresponding to the designated pager service. By designing the information request screen 40 in this manner, the possibility of a call taker entering incorrect paging service information is significantly reduced.

In an alternate embodiment, the information request page accepts a service center descriptor rather than the destination address. For example, the information request screen instructs the user to enter a request for the nearest hotel, restaurant, gas station, etc., by clicking on a radio button corresponding to the desired service. In this way, a user can request directions to a business which provides a needed service without actually knowing the name or the location of that business.

The information request page 40 is also designed to accept the user's pager ID information, i.e. the user's pin or pager number. The format of this number is generally specific to each paging service. Preferably, the information request screen 40 is programmed such that the user's selection of pager service (via the radio-button selection) determines the format of the text box into which the call taker enters the user's pin

number. Advanced Internet programming languages, such as Java, allow this kind of interactive relation between data entering constructs and further allow text-boxes to be pre-formatted. One example of a pre-formatted text box is one in which dashes '-' are inserted in preselected positions in the text-box before the data is entered. Another example of a preformatted text box is one wherein only a predetermined number of characters can be entered or where only certain characters can be entered in certain positions.

For example, and with reference to Fig. 2, in response to a user's request, a call taker clicks on the radio button corresponding to the Sky-Tel paging service 60. When this button 60 is selected, code associated with the information request page 40 is used to display a pre-formatted text-box 48 for accepting an appropriate pin number which corresponds to the Sky-Tel system format. After the call taker has entered all necessary information, the information request page 40 is submitted, for example, via a 'submit' button 54. The information is subsequently returned to the server 12 via the Internet connection 32.

In an alternate embodiment, the user's paging information is identified by use of a prearranged identification or PIN number. The PIN number is used by the server to access associated paging information which has been previously provided by the user. Use of an identification number increases the efficiency of the system because it allows the call taker to receive and process more requests in a given period of time and it also relieves the user of having to remember multiple pieces of information.

In a further alternate embodiment, the user's PCS digital phone number is used as the PIN number. Many PCS digital phone systems are capable of providing caller I.D. to the called party. PCS digital phones also have a short message service whereby short pages are displayed on an LCD screen built into the PCS phone. The server 30 is therefore programmed to automatically associate the calling party by the phone number of the calling party and stores this number as the identification of the information device to which the directions will be sent once they are retrieved.

As mentioned above, in an alternate embodiment, the call taking system can be automated using voice recognition or DTMF tones. In a voice recognition system, an automated voice response system answers user's calls placed to a call center. Preferably, call center systems such as Lucent Technologies Inc.'s DEFINITY ECS call center system with CONVERSANT software is used. The voice response system prompts the user for the necessary information and translates the voice responses into text format for processing by the server. Alternately, the voice response system can prompt the user to select starting and final destinations from a selection of well known geographic markers by pressing the applicable number on the user's cellular phone pad (e.g. "Press 1 for the Empire State Building, press 2 for Carnegie Hall.")

The operation of the server 12 upon receiving the submitted information will now be discussed with reference to the flowchart of Fig. 3. Initially, the server waits to receive a request for information in the form of a submitted information request page. Once the request is received (step 204), the server 12 scans the data for completeness (step 206).

For example, the server 12 will affirm that both a starting and a destination address have been entered and that complete user pager access information has been entered. If any of this information is missing or incomplete, the server 12 returns an error message to the caller along with a new information request page (step 220).

5 If the submitted information entered is complete, the server 12 temporarily stores the information (step 208). The starting and final destination addresses are then formatted (step 209) and submitted to a mapping database program (step 210).

10 In the preferred embodiment, the accessed mapping database is an Internet-based mapping service 38, such as MAP'S ON US accessible at "http://www.MapsOnUs.switchboard.com." Internet-based mapping services generally accept starting and final destination locations in various formats, such as "number and street" or intersection (e.g. 3rd Ave. & 50th Street), and often the entire address need not be given. For example, the zip code can often be excluded and postal abbreviations may be used. Therefore, the information in the direction query may likewise use such
15 abbreviated descriptors and only a minimal amount of formatting may be required prior to transmitting the starting and final destinations to the mapping service 38. In some instances, no formatting will be required and step 209 can be omitted.

20 Where an Internet mapping services accepts a service center descriptor in lieu of the destination address, a user can request the nearest hotel, restaurant, gas station, etc., as the desired destination. The mapping service correlates the starting address to the nearest requested service center and returns the name and address of the nearest requested

business to the user in addition to the directions between the starting address and the nearest business. Where the request page requests a business descriptor instead of a destination address, the server, in step 208 through 210, stores, formats and sends the request in conformance with the mapping service's 38 format for accepting the descriptors.

The server 12 queries the web based mapping database 38 using an HTTP call to emulate access by an online user. This type of emulation is preferably accomplished by transmitting codes which, to the Internet mapping service 38, appears identical to the codes transmitted by an online user's browser. Such HTTP emulation is preferably accomplished using application development tools as Microsoft Visual Basic 6.0's Visual Basic Web Class Designer.

If the mapping service 38 is unable to return directions based on the starting and final address, the mapping service 38 will return an error message to the server 12 via the Internet connection 15. Upon detecting the error message (step 212), the server 12 preferably passes a blank information request page 40 to the call taker along with the received error message and instructs the call taker to enter more specific or complete start and end addresses (step 220).

If the Internet-based mapping service 38 successfully produces and delivers a set of directions to the server 12, the server 12 removes any extraneous information, such as HTML formatting codes, etc., to extract the directions (step 213.) The directions are then stored in the server's 12 random access memory in an area associated with the original

data provided by the user (i.e., name of paging service and pin number, etc.) (step 214).

By storing the data in a relational manner, the server is able to attend to other requests from other call takers before sending the present set of directions to the user's pager. This allows the server to compensate for delays which can be encountered when, for example, a particular paging service is temporarily unable to service a request to send a paging message.

In an alternate embodiment, rather than remotely accessing a third-party mapping database, the server can access a mapping database that resides locally on the server 12. In such an embodiment, the server is preferably programmed to access the database directly through SQL calls such as SELECT. Advantageously, there is no need to emulating a user interface in HTML code since queries for directions are made directly to the database.

It is within the scope of the invention to use this system with other information appliances, such as graphical paging devices. In a further alternate embodiment, the system provides graphical map data to the user on a graphic-enabled paging device (provided that a graphical representation of driving directions is supplied by the mapping system 38). Accordingly, in furtherance of the this embodiment, when the Internet mapping server 38 returns the HTML web page containing the requested directions in graphic and text format, and if the user's paging system supports graphical pages, the server 12 strips the HTML code and the text directions, leaving only the graphical map representation of the driving directions. The server sends this graphical

data to the paging system 28. Of course, both text and graphics can be sent if desired.

In a still further embodiment, information other than directions may be requested and forwarded to the user's pager 22. For example, a user of the system may desire to receive show times for movies at various local movie theaters. In such a system, the server prompts the call taker to select options on behalf of the user such as the name of the desired theater(s) and the movie selection. In response to the user's choices, the server 12 accesses the appropriate database or Internet service in a manner similar to the direction system discussed above, and sends the information on theater show times to the user's pager 22 as described above.

Returning to the process represented in Fig. 3, in preparation for sending the direction's to the user's paging system, the server formats the delivery request using an emulation appropriate for the selected Internet based paging service (step 215). The server 12 then sends the directions to the Internet server of the paging system 30 in the appropriate format, such as emulated HTML code (step 216). The content of the HTML code is dependent upon the format of the respective paging service's paging request screen. The user's PIN or paging number is also sent to the Internet based paging server 30. After receiving the user's pin number and the text based directions, the paging server 30 uploads the text based directions to the paging service's wireless network 20 which, in turn, transmits these directions to the user's pager 22. If the paging service is unable to deliver the directions (step 218), an error message is preferably returned to the server 12 which then informs the call taker of the problem by passing an error message and

explanation of the problem back to the call taker (step 220). The call taker can then inform the user of the problem. The system can also retry the page request until it is successful. If the paging system successfully delivers the directions, the server 12 sends a confirmation message to the call taker (step 222.)

5 In yet another alternate embodiment of the present invention, illustrated in Figure 4, rather than sending the text based directions to a user's paging system, the server 12 processes the directions with a text-to-speech processor 56, the output of which is downloaded into a user's voice mailbox. Again, Lucent Technologies, Inc.'s DEFINITY ECS call center system and CONVERSANT software is preferably used. Instead of
10 accessing a paging service, however, the server uses a telephone dialer 58 to connect to the user's voice mail system 52. (It is understood that in this embodiment, instead of requesting the user's paging service and pin number, the information request page 40 prompts the call taker for the a telephone number corresponding to the user's voice mail system 52 instead of pager information.) Upon successful connection with the user's
15 voice mail system, the server 12 outputs the generated speech, whereby the audio directions are sent to and stored by the user's voice mail system 52 for reference by the user at a later time.

Although preferred embodiments have been disclosed for illustrative purposes, those skilled in the art will appreciate that many additions, modifications and substitutions
20 are possible without departing from the scope and spirit of the invention as defined by the accompanying claims.

What is claimed is:

1 1. A method for communicating with a wireless informational device comprising
2 the steps of:

3 receiving an information request and device identification information of said
4 wireless device;

5 accessing an informational database with said information request;

6 receiving from the informational database information in response to the
7 information request; and

8 transferring said responsive information and said wireless identification information
9 to a wireless information distribution system capable of communicating said responsive
10 information to said wireless informational device.

1 2. The method of claim 1, wherein said information request comprises a plurality
2 of geographic locations and said responsive information comprises driving directions
3 between said locations.

1 3. The method of claim 2 wherein said informational database is a mapping
2 database providing driving directions in response to a query containing a geographic
3 starting and ending point.

1 4. The method of claim 2 wherein said driving directions are provided in text
2 format.

1 5. The method of claim 2 wherein said driving directions are provided in graphic
2 format.

1 6. The method of claim 1, wherein said informational database is Internet-based
2 and is accessed remotely through HTTP emulation.

1 7. The method of claim 1 wherein said wireless information distribution system is
2 a wireless paging network.

1 8. The method of claim 1 wherein said wireless information distribution system is
2 Internet-accessible and wherein accessing of said wireless informational distribution
3 system is accomplished via HTTP emulation.

1 9. The method of claim 1, wherein said wireless information distribution system is
2 accessed remotely via dedicated data lines.

1 10. The method of claim 1, wherein said wireless information distribution system

1 is accessed locally via dedicated data lines.

2 11. The method of claim 1, used to communicate with a wireless informational
3 device which is an alpha-numeric pager.

1 12. A method for communicating with a voice mailbox comprising the steps of:
2 receiving an information request and voice mailbox identification information;
3 accessing an informational database with said information request;
4 receiving from the informational database text format information in response to
5 said request;
6 processing said text format information with a text-to-voice processor to generate
7 an audio representation of said responsive information;
8 accessing a voice mailbox identified by said voice mailbox identification
9 information; and
10 sending said audio representation to said accessed voice mailbox.

1 13. The method of claim 12 wherein said information request comprises a plurality
2 of geographic locations and said responsive information comprises driving directions
3 between said addresses.

1 14. The method of claim 13, wherein said informational database is a mapping
2 database providing driving directions in response to a query containing a geographic

1 starting and ending point.

2
3 15. The method of claim 13, wherein said responsive information comprises
4 driving directions in text format.

1 16. The method of claim 12 wherein said informational database is Internet-based
2 and is accessed remotely through HTTP emulation.

3 17. A system for communicating with a wireless informational device comprising:
4
5 a receiver accepting an information request and identification information
6 of the wireless device;
7
8 a connection to an informational database, said information request being
9 sent over said connection, and responsive information being received thereover from said
10 informational database; and
11
12 a transmitter linked to a wireless information distribution system, said transmitter
13 transferring said responsive information and wireless device identification information to
14 said distributor system for subsequent transmission of said responsive information to said
15 wireless informational device.

1 18. The system of claim 17 wherein said receiver comprises a computer server.

1 19. The system of claim 18, wherein said receiver further comprises computer
2 terminals networked to said computer server configured to accept data from users seeking
3 to utilize said system.

1 20. The system of claim 19 wherein said server is Internet-based and configured to
2 be accessed remotely by said computer terminals.

1 21. The system of claim 17 wherein one of said connection to said informational
2 database and said transmitter comprises a computer server.

1 22. The system of claim 17 wherein said informational wireless network is
2 Internet-based and configured to be accessed remotely by said transmitter.

1 23. The system of claim 17 wherein said wireless information distribution system
2 is configured to be accessed remotely by said transmitter via dedicated data lines.

1 24. The system of claim 17 wherein said wireless information distribution system
2 is accessed locally by said transmitter via dedicated data lines.

1 25. The system of claim 17 wherein said informational wireless network is a

1 paging network.

1 26. The system of claim 17 wherein said receiver, said connection, and said
2 transmitter are contained on the same server.

1 27. A system for communicating with a voice mailbox comprising:
2 a receiver accepting an information request and identification information of said
3 voice mailbox;
4 a connection to an informational database, said information request being sent over
5 said connection, and responsive information being received thereover from said
6 informational database;
7 a text-to-voice processor receiving said responsive information in text format and
8 providing responsive information in voice format; and
9 a transmitter providing said responsive information in voice format to said
10 mailbox.

1 28. The system of claim 27 wherein said receiver comprises a computer server.

1 29. The system of claim 28 wherein said receiver further comprises computer
2 terminals networked to said computer server.


1 30. The system of claim 28 wherein said receiver is Internet-based and is
2 configured to be accessed remotely by said computer terminals.

1 31. The system of claim 27 wherein one of said connection to said informational
2 database, said text-to-voice processor and said transmitter comprises a computer server.

1 32. The system of claim 27 wherein said transmitter, said connection, said
2 processor and said transmitter are provided in a common server.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2

A system and method to provide requested travel directions to a user's pager or voice mail system includes an Internet based server which accepts the geographic endpoints defining the desired directions and the user's pager or voice mail information. The server uses the endpoints as a query to a mapping database to determine the directions. The server then formats and sends the directions to the paging system and pager or voice mailbox identified by the user.



242

244

246

o BELATANTIC / NYNEX
o OCTEL
o SKYTEL
o COMCAST
o
o
o

Pin #

SUBMIT 254




FIG. 3




FIG. 4

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

Declaration and Power of Attorney

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled **SYSTEM AND METHOD FOR TRANSMISSION AND DELIVERY OF TRAVEL INSTRUCTIONS TO INFORMATIONAL APPLIANCES** the specification of which *is attached hereto*.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by an amendment, if any, specifically referred to in this oath or declaration.

I acknowledge the duty to disclose all information known to me which is material to patentability as defined in Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

None

I hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

None

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the following attorney(s) with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith:

Lester H. Birnbaum	(Reg. No. 25830)
Richard J. Botos	(Reg. No. 32016)
Jeffery J. Brosemer	(Reg. No. 36096)
Kenneth M. Brown	(Reg. No. 37590)
Donald P. Dinella	(Reg. No. 39961)
Guy Eriksen	(Reg. No. P-41736)
Martin I. Finston	(Reg. No. 31613)
James H. Fox	(Reg. No. 29379)
Barry H. Freedman	(Reg. No. 26166)
Julio A. Garceran	(Reg. No. 37138)
Mony R. Ghose	(Reg. No. 38159)
Jimmy Goo	(Reg. No. 36528)
Anthony Grillo	(Reg. No. 36535)
Stephen M. Gurey	(Reg. No. 27336)
John M. Harman	(Reg. No. 38173)
Donald E. Hayes, Jr.	(Reg. No. 33245)
John W. Hayes	(Reg. No. 33900)
Mark A. Kurisko	(Reg. No. 38944)
Irena Lager	(Reg. No. 39260)
Christopher N. Malvone	(Reg. No. 34866)
Scott W. McLellan	(Reg. No. 30776)
Martin G. Meder	(Reg. No. 34674)
Geraldine Monteleone	(Reg. No. 40097)
John C. Moran	(Reg. No. 30782)
Michael A. Morra	(Reg. No. 28975)
Gregory J. Murgia	(Reg. No. 41209)
Claude R. Narcisse	(Reg. No. 38979)
Joseph J. Opalach	(Reg. No. 36229)
Neil R. Ormos	(Reg. No. 35309)
Eugen E. Pacher	(Reg. No. 29964)
Jack R. Penrod	(Reg. No. 31864)
Daniel J. Piotrowski	(Reg. No. P-42079)
Gregory C. Ranieri	(Reg. No. 29695)
Scott J. Rittman	(Reg. No. 39010)
Eugene J. Rosenthal	(Reg. No. 36658)
Bruce S. Schneider	(Reg. No. 27949)

Ronald D. Slusky	(Reg. No. 26585)
David L. Smith	(Reg. No. 30592)
Patricia A. Verlangieri	(Reg. No. P-42201)
John P. Veschi	(Reg. No. 39058)
David Volejnicek	(Reg. No. 29355)
Charles L. Warren	(Reg. No. 27407)
Eli Weiss	(Reg. No. 17765)

I hereby appoint the attorney(s) on ATTACHMENT A as associate attorney(s) in the aforementioned application, with full power solely to prosecute said application, to make alterations and amendments therein, to receive the patent, and to transact all business in the Patent and Trademark Office connected with the prosecution of said application. No other powers are granted to such associate attorney(s) and such associate attorney(s) are specifically denied any power of substitution or revocation.

Full name of 1st joint inventor: David J. LADD

Inventor's
signature

Date

Residence: Atherton (San Mateo County)

Citizenship: USA

Post Office Address: 16 Tuscaloosa Avenue, Atherton, California 94027

ATTACHMENT A

Attorney Name(s):	<u>JOSEPH B. LERCH</u>	Reg. No.:	<u>26,936</u>
	<u>MELVIN C. GARNER</u>		<u>26,272</u>
	_____		_____

Telephone calls should be made to **Darby & Darby** at:

Phone No.: **(212) 527-7700**

Fax No.: **(212) 753-6237**

All written communications are to be addressed to:

DARBY & DARBY
805 Third Avenue
New York, NY 10022